

CERTIFICATE OF ANALYSIS

CODE: 37218

PRODUCT: VALQUER NEUTRALIZER FOR PERMANENT 1000 ML

AMOUNT: 5.518

BATCH: 240919

MANUFACTURING DATE: 08/07/2024

PHISICO-CHEMICAL ANALYSIS

PARAMETER	METHOD	SPECIFICATION	RESULT
ASPECT	IT-003-02	OPAQUE	Pass
COLOR	IT-003-01	STANDARD	Pass
ODOR	IT-003-40	STANDARD	Pass
pH	IT-003-09	2.5 - 3.5	3.21
DENSITY (g/ml)	IT-003-31	0.98 - 1.04	1.015

THE PRODUCT IS CONFORM TO ITS SPECIFICATIONS

DATE:

12/07/2024

SIGNATURE:



R.M. de Toledo nº 1, Tomo 1.513, Folio 180, Hoja T-32407

TECHNICAL DATA SHEET

Rev:

Revision Date:

Code:

37218

Description:

VALQUER NEUTRALIZER FOR PERMANENT 1000 ML

Development Number:

V01

Brand:

HAIR CARE

Ean 13:

8420212372184

Responsible person name:

VÁLQUER LABORATORIOS, S.L.

CPNP product reference:

2466767



LABELLING

TEXT

WHAT IS IT? It is a liquid that neutralises the perm liquid effect and restores the hair fibre structure after the moulding action.

HOW TO APPLY? After washing the hair curlers, dry them with a towel. Apply the neutraliser (saving a bit for the end) over each curler, leaving it in for 5 minutes. Unroll and loose your hair, then apply the rest of the neutraliser. Rinse with plenty of water.

NEUTRALIZER

Neutralizante
para permanente

Neutralizer
for permanent

Technical
1000 ml - 33.81 Fl. Oz.



REFILL



TREATED
WATER



100%
VEGAN



DERMO
TESTED

EN - NEUTRALIZER FOR PERMANENT. It is a liquid that neutralises the perm liquid effect and restores the hair fibre structure after the moulding action. Instructions for use: After washing the hair curlers, dry them with a towel. Apply the neutraliser (saving a bit for the end) over each curler, leaving it in for 5 minutes. Unroll and loose your hair, then apply the rest of the neutraliser. Rinse with plenty of water. **WARNINGS:** Contains hydrogen peroxide. Use appropriate gloves. Avoid contact with eyes. In case of contact with eyes, rinse immediately with water.

ES - NEUTRALIZANTE PARA PERMANENTE. Es un líquido que neutraliza el efecto del líquido de permanente sobre el cabello y recompone la estructura de la fibra capilar después de su acción moldeadora. Modo de empleo: Después de duchar los bigudíes, secar el agua con una toalla. Aplicar el neutralizante (reservar un poco para el final) sobre cada bigudí, dejando 5 minutos de exposición. Proceder al desenrollado y una vez suelto el cabello aplicar el resto de neutralizante. Aclarar con agua abundante. **ADVERTENCIAS:** Contiene peróxido de hidrógeno. Utilizar los guantes apropiados. Evitar todo contacto con los ojos. Enjuagar inmediatamente los ojos si el producto entra en contacto con éstos.

FR - NEUTRALISANT VALQUER POUR PERMANENTE. C'est un liquide qui neutralise l'effet du liquide de la permanente sur les cheveux et recompose la structure de la fibre capillaire après son action mise en plis. Mode d'emploi: Après doucher les bigoudis, sécher l'eau avec une serviette. Appliquer le neutralisant (réserver un peu pour la fin) sur chaque bigoudi, laissant 5 minutes d'exposition. Procéder au déroulement et une fois les cheveux au vent appliquer le reste du neutralisant. Rincer avec de l'eau abondante. **AVERTISSEMENTS:** contient du peroxyde d'hydrogène. Porter des gants appropriés. Éviter tout contact avec les yeux. Rincer immédiatement les yeux si le produit entre en contact avec ceux-ci

PT- BUFFER PARA PERMANENTE

DE- FÜR PERMANENTE PUFFERUNG.

IT-BUFFERING PER PERMANENTE.

JP-パーマメント用バッファ。

CH-缓冲为常驻。

AR-مائدال تقؤم لال نيزخ لال

RU- БУФЕРИЗАЦИЯ ДЛЯ

ПОСТОЯННОГО.

FA- یمئاد یارب یثنخ

**RO- TAMPONARE PENTRU PERMA-
NENT.**

PL- BUFOROWANIE DLA STAŁEGO.

BG- БУФЕРИРАНЕ ЗА ПОСТОЯННО.

INGREDIENTS: AQUA, HYDROGEN PEROXIDE, SODIUM LAURETH SULFATE, DISODIUM PYROPHOSPHATE, CITRIC ACID, STYRENE/ACRYLATES COPOLYMER, SODIUM BENZOATE, SODIUM STANNATE, TETRASODIUM PYROPHOSPHATE

ELACONE
PLASTICA
HDPE 2

TAPPO
PLASTICA
PP 5

raccolta DIFFERENZIATA



VPQ37218/10



VALQUER LABORATORIOS S.L.U.

P. I. La Dehesilla, 33. 45440 Villaminaya, Toledo, España.

VALQUER UK LTD

118 Greenwood Hill, Belfast, BT8 7WF, Northern Ireland, United Kingdom.

VALQUER LABORATORIOS MEXICO SA de CV

Calle Antiguo Camino a Xochimilco 35, Edificio D, Departamento 302

Colonia La Noria Xochimilco CP 16030, Ciudad de México, México.